

## Wet Film Comb Thickness Gauges

The Wet Film Thickness Gauges are made of a comb-shaped design with precision cut gaps to determine the coating thickness by placing vertically onto a wet coated substrate. It is a corrosion-resistant stainless steel with a hole at the top corner so that a string (not supply) can be attached for hooking.

All Wet Film Thickness Gauges are machined by high precision CNC and with less than 3 micron deviation. They come standard with 10 gaps with inscriptions of the thickness at the side of each gap. It is recommended to replace a new gauge if there are chips, crack or uneven at the gap (s) of the gauge.



### ◆ Ordering Information:

BGD 531/1	10–100 $\mu\text{m}$ ( @10 $\mu\text{m}$ )
BGD 531/2	20–200 $\mu\text{m}$ ( @20 $\mu\text{m}$ )
BGD 531/3	50–750 $\mu\text{m}$ ( @25 $\mu\text{m}$ /@50 $\mu\text{m}$ )
BGD 531/4	250–700 $\mu\text{m}$ ( @50 $\mu\text{m}$ )
BGD 531/5	50–950 $\mu\text{m}$ ( @100 $\mu\text{m}$ )
BGD 531/6	300–2,600 $\mu\text{m}$ ( Quadrilateral @25 $\mu\text{m}$ /100 $\mu\text{m}$ )
BGD 531/7	25–3,000 $\mu\text{m}$ ( Hexagon )

